

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) A microchip laser arrangement, comprising
a first chip of active material operative to emit radiation in a near infrared spectral region,
a second chip of optically bleachable material, which can be bleached by optical radiation in the near infrared spectral region,
a pump diode laser operative optically to excite said active material, and
a first and a second mirror enclosing said first chip and second chip, in order to form a resonant laser cavity,
wherein said optically bleachable material comprises a cobalt-doped crystal of spinel type,
wherein the laser diode is arranged for longitudinal pumping of light into the active material, and
wherein the chip of optically bleachable material is positioned closer to the diode laser than the chip of active material, in order for light emitted by the diode to pass through the bleachable material before entering the active material.

2. (Previously Amended) An arrangement as claimed in claim 1, wherein the active material comprises erbium-doped glass, operative to emit radiation at $1.54\ \mu\text{m}$ when optically pumped.

3. (Previously Amended) An arrangement as claimed in claim 1, wherein the length of the chip of active material, in the propagation direction of the laser light, is smaller than about 5 mm.

4. (Previously Amended) An arrangement as claimed in claim 1, wherein the length of the chip of optically bleachable material, in the propagation direction of the laser light, is smaller than about 5 mm.

5. (Canceled)

6. (Currently Amended) An arrangement as claimed in claim 5 1, wherein the laser diode emits light in a wavelength range between 940 nm and 1000 nm.

7. (Previously Amended) An arrangement as claimed in claim 6, wherein the laser diode is a InGaAs diode emitting light at 970 nm.

8. (Canceled)

9. (Original) An arrangement as claimed in claim 1, further comprising at least one lens for focusing the light from the diode.

10. (Original) An arrangement as claimed in claim 1, further comprising an optical fiber for guiding light from the diode to the active material.

11. (Original) An arrangement as claimed in claim 1, wherein the chip of active material and the chip of optically bleachable material are bonded together to form a monolithic body.

12. (Original) An arrangement as claimed in claim 11, wherein mirrors in the form of dielectric stacks are provided upon the end surfaces of the monolithic body, in order to form a resonant laser cavity enclosing the active material and the optically bleachable material.

13. (Original) An arrangement as claimed in claim 1, wherein the optically bleachable material is comprised of a cobalt-doped crystal selected among MgAl_2O_4 , ZnAl_2O_4 , ZnGa_2O_4 and LiGa_5O_8 .

14. (Previously Added) An arrangement as claimed in claim 1, wherein the length of the chip of active material, in the propagation direction of the laser light, is smaller than about 1 mm.

15. (Previously Added) An arrangement as claimed in claim 1, wherein the length of the chip of optically bleachable material, in the propagation direction of the laser light, is smaller than about 1 mm.

16. (Currently Amended) An arrangement as claimed in claim 5 1, wherein the pump diode laser is a continuous-wave diode laser.

17. (Previously Added) An arrangement as claimed in claim 16, wherein the pump diode laser has an output power of less than 1 Watt.